


Implementation of Outlier Modules for Investigations & Education



K-TRACS Advisory Committee

- K-TRACS Advisory Committee is authorized to review and analyze program data for the purposes of identifying patterns and activity of concern
- 14-member committee
 - 7 prescribers
 - 6 pharmacists
 - 1 law enforcement

K-TRACS Investigation



Case Review Criteria

Person of Concern

- **Threshold Patient Criteria**
- Overlapping prescriptions (same drug class, different prescribers/pharmacies)
- Early refills

Prescriber of Concern

- Multiple patients ≥ 90 MME
- Multiple threshold patients
- Prescribing duplication of therapy
- Prescriptions written for family members of same household with same drug/dosage/quantity

Pharmacy of Concern


- Reporting delinquency, outstanding errors and data quality issues
- Multiple threshold patients
- Dispensing ED prescriptions for the same or similar prescriptions that patient already has
- Dispensing opioids, stimulants and benzo to the same patient simultaneously

*Mitigating factors: Prescriber specialty (hospice, MAT, oncology); practice setting; etc.



Multiple Provider Episodes

Rate of Multiple Provider Episodes for Prescription Opioids (per 100,000 residents)



Threshold Patient Criteria

- 5+ Prescribers
- 15+ Prescriptions
- 300+ Days Supply
- ≥ 50 MME
- Exclude MAT Opioids

Threshold	Number of Patients
5+ Prescribers	1,430
5+ Prescribers, 5+ Pharmacies	20
5+ Prescribers, 15+ Prescriptions	220
5+ Prescribers, 15+ Prescriptions, 300+ Days Supply	107



Adding Educational Pathway

- Automatic triggers for educational letters
 - Top 5% of prescribers in any criteria category with no K-TRACS usage in preceding 6 months
 - Pharmacies with threshold patients and no history of reviewing K-TRACS for those patients

Outlier Modules

- Originally intended to be used for investigation and education initiatives (2 of 3 strategies included in BJA grant)
- 3 modules: prescriber, stimulant, pharmacy

Prescriber Outlier Module

- Based on overdose decedent data
- Generates top 25 outliers based on variety of factors
- Includes 3 years' worth of data in scoring model

Prescriber Outlier Module – Kansas Results

- 40% of prescribers were providing MAT
- Case Review Criteria Mitigating Factors:
 - Treatment providers
 - Rural location or patient population

Prescriber Outlier Module v 2.0

- GAM to remove pharmacy outlier & revamp prescriber module
- Create a threshold report instead of a scoring model
 - Early refills (5+ days)
 - Multiple provider episodes in combination with overlapping prescriptions
 - Growth rate of prescribing volume
 - MME duration (how long has the patient been at the same high MME level without tapering?)
 - Maintain focus on opioids/sedatives

Stimulant Outlier Module

- Stimulant daily strength equivalent
 - Daily dosage based on manufacturer recommended max dose
- Likelihood of specialty to prescribe
- Number of stimulant patients
- Number of patients with high dosages
- Overlapping benzo usage

- *Anticipated delivery: January 2023*